Instruction - Metal Bead Necklace



| Used Material | Article No. | Qty |
|--|-------------|-----|
| Metal Beads, platinum, 2 pieces | 575750 | 1 x |
| Metal Beads, platinum, 2 pieces | 575819 | 1 x |
| Metal Bead with Texture, silver, 1 piece | 506551 | 2 x |
| Metal Strass Rondell, silver crystal, ø 5 x 2 mm, 1 piece | 580492 | 2 x |
| Metal Strass Rondell, silver crystal, ø 8 x 3 mm, 1 piece | 580517 | 2 x |
| Bead Caps, platinum, 20 pieces | 717688 | 1 x |
| Metal Shape - Round, silver, 1 piece | 520032 | 4 x |
| Rocailles Metallic, silver glossy, 17 g | 549096 | 1 x |
| Polaris Bead, white, 8 mm, 1 piece | 579721 | 2 x |
| Polaris Bead, white, 10 mm, 1 piece | 579880 | 2 x |
| Stainless Steel Collier Triple, with carabiner and flat cap catch, platinum, 1 piece | 581812 | 1 x |
| Crimp Rings, platinum, ø 2 mm, 100 pieces | 474730 | 1 x |
| Recommended Tools/Material (Tools/Material are not included in delivery) | | |
| Pliers, set of 6 | 304609 | |
| Bead Threading Board | 420620 | |
| Ruler | 366418 | |





Cut the stainless steel wire loops (depending on the desired length) by 15 / 20 / 25 mm.



1. Wire: String up the beads according to image. Add a crimp bead before and after each bead.



2. Wire: String up the beads according to image. Add a crimp bead before and after each bead.



3. Wire: String up the beads according to image. Add a crimp bead before and after each bead.



1. Wire: Align the beads and fasten the crimps.



2. and 3. Wire: Orient the beads to the first (second) wire loop and fasten the crimps.





Between the last beads and the closure should be 80 mm.



Place the wires in the caps on both sides and fix them with a pliers.

Have fun! Your Opitec Creative Team!

