



Used Material	Article No.	Qty
Birch trunk approx. ø 80-110 mm, 200 mm high	726173	2
Birch disc approx. ø 200 - 300 mm 20 - 35 mm thick	723463	2
Hardwood round bar 500 x ø 10 mm, natural, 10 pcs	681073	1
Mosaic fantasy glass, 10 x 10 mm, colourful mix, 200 g	505430	1
Mosaic fantasy glass, approx. Ø 12 mm, 10 x 10 mm, pastel-mix, 500 g	504618	1
Mosaic fantasy glass, approx. ø 12 mm, green-mix, 200 g	506355	1
3D Kit silicone adhesive 80 ml	314798	1
Mosaic grout 250 g	539686	2
Patina Set rust effect	474478	1
Empfohlenes Material/Werkzeug		
Mosaic Wheeled Glass Nippers, approximately 205 mm	506654	1
(Disposable) gloves, size M, 100 pcs	936396	1 or
(Disposable) gloves, size L, 100 pcs	942458	1
Needed Teels		

Needed Tools

pad, scissor, kitchen roll, mosaic tongs, spatula, measuring cup, mixing bowl, sponge, cloth, disposable protective gloves, bristle brushes, hand saw, drill with wood drill





Drill a hole approx. Ø 10mm centrally in the top of the birch trunk. In the lower outer edge of the birch discs as well. Shorten the round wood rods to the desired length.



Paint rods with rust-effect. (use rust effect on the product manual)



Stick the mosaic all over the wooden disks and one surface of a birch trunk (3D-silicone). The square stones can be separated with the mosaic tongs. Allow silicone coat to dry overnight.



Mix the mosaic grout with water according to instructions. Put the protective gloves on and distribute the grout on the mosaic surface. After 15 minutes take the excess grout off with a sponge. Repeat this procedure several times. Let the grout dry overnight. Polish the mosaic surface with a dry cloth.





Connect the birch trunk and birch disk with the round bar and fix with 3D silicone adhesive. Allow to dry.

Have Fun Your Opitec Creative Team

