

Serviette Technique combined with Mosaic 2017/18



Material Used	Article Number	Quantity
Wooden Coaster - Square approx. 200 x 200 x 7 mm, set of 2	465628	1
Wooden Coaster - Square approx. 110 x 110 x 7 mm, set of 2	412739	1
Wooden Coaster - Round approx. ø 110 x 7 mm, set of 2	517978	1
Deco & Lifestyle Hobby Paint 230 ml, white	446228	1
Deco & Lifestyle Hobby Paint, 230 ml, aqua blue	608389	1
Deco & Lifestyle Hobby Paint 230 ml, stone grey	446332	1
Serviette Set - Harmony approx. 330 x 330 mm, set of 20	612380	1
Art Potch - Deco-Glue, 150 ml	451373	1
Cold Glaze-Set 50 ml	437939	2
Mosaic Softglass - Square 10 x 10 mm, 200 g	506414	1
Glass Nuggets, ø approx. 10 - 12 mm, 100 g = approx. 90 pieces, crystal clear	619393	1
Glass Nuggets, ø approx. 15 - 20 mm, 100 g = approx. 22 pieces, crystal clear	619382	2
Mosaic Grout, 250g, white	539686	2
Reeves - Fine Acrylic Colours 75 ml, cobalt blue	442190	1
Reeves - Fine Acrylic Colours 75 ml, medium grey	453467	1
Mosaic/Acrylic Glue, 80 ml, transparent	539697	1
Recommended Tools		
Disposable Protective Gloves, 100 pieces, Size M	936396	1
Disposable Protective Gloves, 100 pieces, Size L	942458	alternati- vely
Tools Required		
Working pad, kitchen roll, bristle brush, soft bristle brush, scissors, disposable gloves, measuring cup, mixing bowl, spatula, sponge, cloth		





Paint front side of coaster back panel and frame with white paint and allow to dry. (On the white paint the serviette pattern shows best effect later. You can paint the frame in a different colour.)



Cut serviette to size of the back panel.



Separate uppermost printed layer of serviette from two lower layers.



Place the backside of the serviette motif (uppermost layer) on the white primed panel. (The motif faces upwards). Spread deco glue onto the motif starting from the center and allow to dry.



Attach the frame (to the front side of the back panel) using glue.







Mix the cold glaze according to product description.



Let the glaze run over the serviette motif into the coaster depression within the frame.

IMPORTANT! The cold glaze layer should not be too thick for grouting later without problems.

Spread the glaze layer evenly in the interior of the coaster.



Place the transparent mosaic tiles immediately into the moist glaze. Allow the glaze layer to dry.



Grout the mosaic area with mosaic grout.

This means mix grout (according to product description) with a spatula in a mixing bowl. For colouring of the grout you can add some acrylic paint.

Grout whole mosaic area (use disposable gloves for spreading grout directly with your hands).

After approx. 15 minutes remove excess grout with a damp sponge. Repeat this process several times.

Allow to dry overnight.

Finally polish the mosaic surface with a dry cloth until it shines.

Transfer instruction to the other mosaic coasters.

Have fun creating and enjoy! Your Opitec Creative Team!

